



压缩型波形弹簧垫圈 Wave Spring Washers-compression type


Art. No.	Ball Bearing Size(OD)	Specification mm				Numbers of Wave	Rate N/mm	Flat Load N
		D	d	t	Ho			
102000	10	9.8	6.2	0.20	1.2	3	23.9	23.9
102001	13	12.0	7.2	0.20	1.4	3	127.5	196.1
102002	16	15.8	10.5	0.15	1.4	3	127.5	166.7
102003	16	15.8	10.5	0.30	1.5	3	230.5	343.2
102004	18	17.0	12.0	0.30	1.5	3	117.7	156.9
102005	19	18.8	13.2	0.20	1.6	3	63.7	245.2
102006	19	18.8	11.4	0.30	1.6	3	294.2	490.3
102007	22	21.8	15.8	0.20	2.5	3	29.4	392.3
102008	22	21.8	15.8	0.20	1.6	3	44.1	112.8
102009	22	21.8	15.8	0.25	3.0	3	29.4	147.1
102010	22	21.8	14.0	0.30	1.6	3	147.1	343.2
102011	22	21.8	15.8	0.30	2.35	3	39.2	392.3
102012	24	23.8	17.5	0.20	1.7	3	34.3	117.7
102013	24	23.8	17.5	0.30	1.7	3	98.1	181.4
102014	26	25.8	19.3	0.30	1.7	3	78.5	176.5
102015	26	25.8	19.3	0.50	1.7	3	294.2	451.1
102016	28	27.8	21	0.30	1.7	3	53.9	107.9
102017	28	27.8	20	0.30	3.0	3	53.9	176.5
102018	28	27.8	21	0.50	1.7	3	294.2	539.4
102019	30	29.7	22.5	0.20	1.7	3	16.7	39.2
102020	30	29.7	22.5	0.30	1.8	3	53.9	127.5
102021	30	29.7	22.5	0.40	1.6	3	191.2	259.9
102022	30	29.7	22.5	0.50	2.0	3	230.5	559
102023	32	31	26.5	0.30	2.7	3	24.5	147.1



102024	32	31	26.5	0.40	2.0	3	49.0	205.9
102025	32	31.7	24.5	0.35	2.2	3	53.9	255.0
102026	32	31.7	26.5	0.40	2.0	3	44.1	166.7
102027	32	31.7	26.5	0.50	2.4	3	98.1	382.5
102028	32	31.8	23	0.30	3.5	3	53.9	215.7
102029	35	34.5	28	0.40	3.0	3	58.8	539.4
102030	35	34.5	28.3	0.40	4.0	3	44.1	441.3
102031	35	34.5	24.5	0.50	2.5	4	588.4	1176.8
102032	35	34.5	28	0.50	3.0	3	103.0	539.4
102033	35	34.9	25	0.30	2.0	4	166.7	382.5
102034	37	36.5	30.2	0.30	2.5	4	53.9	147.1
102035	37	36.5	30.2	0.50	2.5	4	147.1	490.3
102636	40	39.1	33.0	0.40	2.7	4	107.9	343.2
102637	40	39.1	33.0	0.50	3.0	4	156.9	637.4
102638	40	39.1	33.0	0.50	4.0	4	186.3	666.9
102639	40	39.8	33.3	0.30	3.0	4	44.1	225.6
102640	40	39.8	30.0	0.40	5.0	3	49.0	431.5
102641	42	40	30.0	0.50	3.0	4	205.9	676.7
102642	42	41	34.5	0.35	3.0	4	58.8	255.0
102643	47	45	37.0	0.50	3.0	5	250.1	706.1
102644	47	45	37.0	0.50	3.0	4	147.1	637.4
102645	47	46.5	40.0	0.40	3.0	4	68.6	333.4
102646	47	46.5	40.0	0.50	3.0	4	137.3	539.4
102647	47	46.9	37.0	0.50	2.0	4	235.4	843.4
102648	52	51	42	0.40	3.5	4	132.4	701.2
102649	52	51	44	0.40	3.5	4	53.9	343.2
102650	52	51	42	0.50	3.5	5	210.8	1274.9
102651	52	51.8	41	0.40	4.0	4	98.1	637.4



102652	52	51.8	41	0.40	2.0	4	83.4	181.4
102653	52	51.8	41	0.50	3.5	5	323.6	931.6
102654	52	51.8	41	0.50	2.0	4	127.5	225.6
102655	55	54.8	46.9	0.50	2.0	4	49.0	323.6
102656	55	54.8	46.9	0.50	3.5	4	68.6	353.0
102657	58	57	48	0.50	3.5	4	156.9	490.3
102658	62	61	51	0.40	3.5	4	127.5	372.7
102659	62	61	51	0.50	3.5	5	313.8	931.6
102660	62	61	51	0.50	3.5	5	313.8	931.6
102661	62	61	51	0.50	4.0	4	98.1	559.0
102662	62	61	51	0.60	3.5	5	313.8	1274.9
102663	62	61.9	50	0.50	4.0	4	137.3	1127.8
102664	62	62.9	54.2	0.40	3.7	4	58.8	343.2
102665	68	67.5	55	0.60	4.0	4	147.1	657.0
102666	72	71	61	0.40	3.5	5	83.4	323.6
102667	72	71	61	0.50	4.0	4	58.8	367.7
102668	72	71	61	0.50	3.5	5	122.6	559.0
102669	72	71	61	0.80	4.0	5	509.9	1716.2
102670	72	71.8	58	0.60	4.0	4	166.7	686.5
102671	75	74.8	66	0.60	4.0	4	73.5	343.2
102672	80	79	71	0.50	3.5	5	68.6	255.0
102673	80	79	71	0.60	3.5	6	264.8	863.0
102674	80	79	71	0.80	4.0	6	509.9	1716.2
102675	80	79.8	64	0.70	4.0	4	255.0	980.7
102676	85	84	74	0.50	3.6	5	73.5	323.6
102677	85	84	74	0.60	3.5	6	279.5	1078.7
102678	90	89	79	0.50	3.5	6	156.9	539.4
102679	90	89	79	0.60	3.5	6	245.2	764.9
102680	90	89.8	72	0.80	4.0	4	333.4	1323.9



102681	100	99	89	0.50	4.0	6	98.1	451.1
102682	100	99	89	0.60	3.5	6	196.1	647.2
102683	100	99.8	82	0.90	4.0	4	343.2	1078.7
102684	110	109	99	0.50	4.5	7	147.1	637.4
102685	110	109	99	0.60	4.5	7	230.5	1147.4
102686	110	109	99	0.70	4.5	7	323.6	16671
102687	110	109	90	1.00	4.0	4	220.6	1225.8
102688	120	119	104	0.80	4.0	6	480.5	1716.2
102689	125	125	109	0.80	4.0	6	441.3	1471.0
102690	130	129	110	0.80	4.0	6	4413	1471.0
102691	140	139	121	0.90	4.0	6	421.7	1569.1
102692	150	149	126	0.90	4.0	6	490.3	1471.0
102693	160	159	137	1.0	4.0	6	402.1	1618.1
102694	170	169	147	1.0	4.0	6	568.8	1716.2